

CLAIMS

1. (Currently amended) A display system for use in a vehicle, comprising:

a dashboard display, positioned in front of a driver of the vehicle, and adapted to display graphic user interface elements, in a predetermined graphic composition, providing information to the driver regarding operation of devices in the vehicle; and

A
a processor, coupled to receive signals from the devices in the vehicle and to drive the display responsive thereto, and to receive an event input indicative of an event or situation not initiated by the driver, and adapted to alter the graphic composition of the display autonomously responsive to ~~a selected~~ said event input ~~to the processor~~.

2. (Original) A display system according to claim 1 wherein said graphic user interface elements provide information regarding at least one device selected from the group consisting of speedometer, tachometer, audio equipment, air conditioner, Internet browser, television, GPS, sun roof, windows, seat positioning, cellular telephone, fuel gauge, oil level gauge, tire pressure gauge, engine temperature gauge, brake temperature gauge, window-washer fluid gauge, and headlights.

3. (Original) A display system according to claim 1 wherein the processor is adapted to alter the graphic composition of the display by adding a graphic user interface element to the dashboard display.

4. (Original) A display system according to claim 1 wherein the processor is adapted to alter the graphic composition of the display by removing a graphic user interface element from the dashboard display.

5. (Original) A display system according to claim 1 wherein the processor is adapted to alter the graphic composition of the display by changing the position of a graphic user interface element on the dashboard display.

AI 6. (Original) A display system according to claim 1 wherein the processor is adapted to alter the graphic composition of the display by changing the size of a graphic user interface element on the dashboard display.

7. (Currently amended) A display system according to claim 1 wherein ~~said input to the processor comprises~~ is further adapted to alter the graphic composition of the display responsive to a driver input provided by a driver of the vehicle.

8. (Original) A display system according to claim 7 wherein said driver input comprises a vocal input.

9. (Original) A display system according to claim 7 wherein said driver input comprises selection of an image, icon or button on the dashboard display, or selection of an item from a pull-down menu on the dashboard display.

10. (Original) A display system according to claim 7 wherein said vehicle also comprises driver-manipulable steering apparatus, said display system further comprising a

selecting device mounted upon said steering apparatus, for use by a driver of the vehicle in providing said driver input.

11. (Original) A display system according to claim 10 wherein said selecting device comprises a pointing device.

A1 12. (Original) A display system according to claim 11 wherein said pointing device is selected from the group consisting of a joystick, a thumb-button, track-point, and pressure sensitive hand-grips.

13. (Original) A display system according to claim 11 wherein said selecting device also comprises clickable buttons located upon said steering apparatus.

14. (Original) A display system according to claim 11 wherein said selecting device also comprises clickable buttons located upon said pointing device.

15. (Original) A display system according to claim 10 wherein said steering apparatus comprises a steering wheel.

16. (Original) A display system according to claim 10 wherein said steering apparatus comprises handlebars.

17. (Original) A display system according to claim 10 wherein inputting said driver input to said processor does not require the driver removing a hand from the steering apparatus.

18. (Original) A display system according to claim 7 wherein said driver input is selected from the group consisting of a request to initiate a telephone call, a request to change the internal temperature of the vehicle, a request to utilize the GPA, and a request to adjust the audio equipment.

AI 19. (Currently amended) A display system according to claim 1 wherein said event input to the processor comprises an input from a gauge of vehicle performance.

20. (Original) A display system according to claim 19 wherein said gauge of vehicle performance comprises a gauge selected from the group consisting of speedometer, tachometer, fuel gauge, oil level gauge, tire pressure gauge, engine temperature gauge, brake temperature gauge, window washer fluid gauge.

21. (Currently amended) A display system according to claim 1 wherein said event input to the processor comprises an input from a monitor of a status of vehicle components.

22. (Original) A display system according to claim 21 wherein said monitor of vehicle components monitors the status of a component selected from the group consisting of sun roof, windows, seat, internal rear-view mirror, external mirror, steering column, seat belt, door.

23. (Currently amended) A display system according to claim 1 wherein said event input to the processor comprises an input from an auxiliary device in the vehicle.

24. (Original) A display system according to claim 23 wherein said auxiliary device is selected from the group consisting of audio equipment, air conditioner, Internet browser, television, e-mail terminal, GPS, cellular telephone, travel log, pager and personal digital assistant (PDA).

A1

25. (Currently amended) A display system according to claim 1 wherein said event input to the processor is generated responsive to an electronic signal from a source external to the vehicle.

26. (Original) A display system according to claim 25 wherein said external electronic signal is generated due to an event selected from the group consisting of receipt of an incoming telephone call, receipt of an e-mail message, download of a digital music recording, and receipt of a traffic alert.

27. (Original) A display system according to claim 1 wherein said dashboard display is personally configured for an individual driver.

28. (Original) A display system according to claim 27 wherein said display is personally configured responsive to an input to the processor of driver preferences regarding the graphic composition of the dashboard display.

29. (Original) A display system according to claim 27 wherein said display is personally configured responsive to an input to the processor of driver preferences relating to operation of the dashboard display.

30. (Original) A display system according to claim 27 wherein said display is personally configured responsive to an input to the processor of driver preferences relating to operation of at least one device in the vehicle.

31. (Original) A display system according to claim 27 wherein said display is personally configured responsive to an input of driver preferences to the processor at a location remote from the vehicle.

32. (Original) A display system according to claim 27 wherein said display is personally configured responsive to an input of driver preferences to the processor within the vehicle.

33. (Original) A display system according to claim 32 wherein said input of driver preferences comprises an input to the processor while the vehicle is driving.

34. (Currently amended) A display system ~~according to claim 32~~ for use in a vehicle,
comprising:

a dashboard display, positioned in front of a driver of the vehicle, and adapted to
display graphic user interface elements, in a predetermined graphic composition, providing
information to the driver regarding operation of devices in the vehicle; and

a processor, coupled to receive signals from the devices in the vehicle and to drive
the display responsive thereto, and to alter the graphic composition of the display
responsive to a selected input to the processor,

wherein said dashboard display is personally configured for an individual driver, and
wherein said display is personally configured responsive to an input of driver
preferences to the processor within the vehicle, and

wherein said input of driver preferences comprises driver preferences learned by the
processor while the vehicle is driving.

35. (Currently amended) A display system ~~according to claim 1~~ for use in a vehicle,
comprising:

a dashboard display, positioned in front of a driver of the vehicle, and adapted to
display graphic user interface elements, in a predetermined graphic composition, providing
information to the driver regarding operation of devices in the vehicle; and

a processor, coupled to receive signals from the devices in the vehicle and to drive
the display responsive thereto, and to alter the graphic composition of the display
responsive to a selected input to the processor,

wherein at least one configuration of the graphic composition of the dashboard
display is blocked while the vehicle is moving.

36.-43. (Canceled)

44. (Currently amended) A method for displaying information regarding operation of in-vehicle devices, comprising:

receiving signals from the devices;

displaying graphic user interface elements in a predetermined graphic composition on a dashboard display positioned in front of a driver of the vehicle, so as to provide information to a driver of the vehicle regarding operation of devices;

receiving an event input indicative of an event or situation not initiated by the driver;

AI
and

modifying the graphic composition of the display autonomously responsive to a selected said event input ~~associated with the vehicle.~~

45. (Original) A method according to claim 44 wherein said graphic user interface elements provide information regarding at least one device selected from the group consisting of speedometer, tachometer, audio equipment, air conditioner, Internet browser, television, GPS, sun roof, windows, seat positioning, cellular telephone, fuel gauge, oil level gauge, tire pressure gauge, engine temperature gauge, brake temperature gauge, window-washer fluid gauge and headlights.

46. (Original) A method according to claim 44 wherein modifying the graphic composition of the display comprises adding a graphic user interface element to the dashboard display.

47. (Original) A method according to claim 44 wherein modifying the graphic composition of the display comprises removing a graphic user interface element from the dashboard display.

48. (Original) A method according to claim 44 wherein modifying the graphic composition of the display comprises changing the position of a graphic user interface element on the dashboard display.

41. 49. (Original) A method according to claim 44 wherein modifying the graphic composition of the display comprises changing the size of a graphic user interface element on the dashboard display.

50. (Currently amended) A method according to claim 44 ~~wherein said event associated with the vehicle comprises~~ further comprising modifying the graphic composition of the display responsive to a control signal input by a driver of the vehicle.

51. (Original) A method according to claim 50 wherein said control signal comprises a vocal input.

52. (Original) A method according to claim 50 wherein inputting said control signal comprises selecting an image, icon or button on the dashboard display, or selecting an item from a pull-down menu on the dashboard display.

53. (Original) A method according to claim 50 wherein inputting said control signal comprises manipulating a selecting device mounted upon steering apparatus of the vehicle.

54. (Original) A method according to claim 53 wherein said selecting device comprises a pointing device.

55. (Original) A method according to claim 54 wherein said pointing device is selected from the group consisting of a joystick, a thumb-button, track-point, and pressure sensitive hand-grips.

56. (Original) A method according to claim 54 wherein said selecting device also comprises clickable buttons located upon said steering apparatus.

57. (Original) A method according to claim 54 wherein said selecting device also comprises clickable buttons located upon said pointing device.

58. (Original) A method according to claim 53 wherein inputting said control signal does not require the driver removing a hand from the steering apparatus.

59. (Original) A method according to claim 50 wherein said control signal is selected from the group consisting of a request to initiate a telephone call, a request to change the

internal temperature of the vehicle, a request to utilize the GPA, a request to adjust the audio equipment.

60. (Currently amended) A method according to claim 44 wherein receiving said event input associated with the vehicle comprises receiving an input ~~received~~ from a gauge of vehicle performance.

AI 61. (Original) A method according to claim 60 wherein said gauge of vehicle performance comprises a gauge selected from the group consisting of speedometer, tachometer, fuel gauge, oil level gauge, tire pressure gauge, engine temperature gauge, brake temperature gauge, window-washer fluid gauge.

62. (Currently amended) A method according to claim 44 wherein receiving said event input associated with the vehicle comprises receiving an input ~~received~~ from a monitor of a status of vehicle components.

63. (Original) A method according to claim 62 wherein said monitor of vehicle components monitors the status of a component selected from the group consisting of sun roof, windows, seat, internal rear-view mirror, external mirror, steering column, seat belt, door and headlight.

64. (Currently amended) A method according to claim 44 wherein receiving said event input associated with the vehicle comprises receiving an input ~~received~~ from an auxiliary device in the vehicle.

65. (Original) A method according to claim 64 wherein said auxiliary device is selected from the group consisting of audio equipment, air conditioner, Internet browser, television, e-mail terminal, GPS, cellular telephone, travel log, pager and PDA.

66. (Currently amended) A method according to claim 44 wherein receiving said event input associated with the vehicle comprises receiving ~~receipt of~~ an external electronic signal.

67. (Original) A method according to claim 66 wherein said external electronic signal comprises a signal associated with an incoming telephone call, receipt of an e-mail message, or receipt of a traffic alert.

68. (Original) A method according to claim 44 wherein displaying the graphic user interface elements comprises personally configuring the dashboard display for an individual driver.

69. (Original) A method according to claim 68 wherein personally configuring comprises configuring the graphic user interface elements responsive to an input of driver preferences regarding the graphic composition of the dashboard display.

70. (Original) A method according to claim 68 wherein personally configuring comprises configuring the graphic user interface elements responsive to an input of driver preferences relating to operation of the dashboard display.

71. (Original) A method according to claim 68 wherein personally configuring comprises configuring the graphic user interface elements responsive to an input of driver preferences relating to operation of at least one device in the vehicle.

72. (Original) A method according to claim 68 wherein said inputting driver preferences occurs at a remote location from the vehicle.

73. (Original) A display system according to claim 68 wherein said input of driver preferences occurs within the vehicle.

74. (Original) A method according to claim 73 wherein said input of driver preferences occurs while driving.

75. (Currently amended) A method ~~according to claim 73~~ for displaying information regarding operation of in-vehicle devices, comprising:

receiving signals from the devices;

displaying graphic user interface elements in a predetermined graphic composition on a dashboard display positioned in front of a driver of the vehicle, so as to provide information to a driver of the vehicle regarding operation of devices; and

modifying the graphic composition of the display responsive to a selected event associated with the vehicle,

wherein displaying the graphic user interface elements comprises personally configuring the dashboard display for an individual driver, and

wherein said input of driver preferences occurs within the vehicle, and

wherein personally configuring comprises learning driver preferences while driving.

76. (Currently amended) A method ~~according to claim 44~~ for displaying information regarding operation of in-vehicle devices, comprising:

receiving signals from the devices;

displaying graphic user interface elements in a predetermined graphic composition on a dashboard display positioned in front of a driver of the vehicle, so as to provide information to a driver of the vehicle regarding operation of devices; and

modifying the graphic composition of the display responsive to a selected event associated with the vehicle,

wherein modifying the graphic configuration comprises blocking some configurations of the graphic composition of the dashboard display while the vehicle is moving.

77.-81. (Canceled)
